Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6012851" and (stress$3 or pressure) and hydrogen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:16
L2	3	123/90.39-90.47.ccls. and carbonitri$4 and austenite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:34
L3	11	123/90.39-90.47.ccls. and needle near2 bearing$2 and bifurcat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:38
S1	1	10/686766	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:10
S2	80	carbonitri$4 and austenite and (outer near2 ring or inner near2 ring) and (roller$2 or ball near2 bear$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:27
S3	1	10/686766 and ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:29
S4	1767	123/90.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:11
S5	1624	123/90.16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:11
S6	1876	123/90.17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:11
S7	260	123/90.18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:11

S8	1796	123/90.39-90.43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:27
S9	1208	123/90.44-90.47.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:12
S10	721	74/53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:12
S11	631	74/54.ccls. not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:13
S12	966	74/55.ccls. not S10 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:13
S13	1477	74/567.ccls. not S10 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:13
S14	1302	74/568R.ccls. not S10 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:13
S15	1020	74/569.ccls. not S10 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:13
S16	1057	74/25.ccls. not S10 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:13
S17	1	10/686766	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:45

S18	1	10/686766 and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:49
S19	1	10/686766 and temperature and quench$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:49
S20	3	"6012851" and quench$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:53
S21	2	"6012851" and (cold or work$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 00:55
S22	2	"6012851" and (stress$3 or pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 10:16
S23	4	carbonitri$4 and austenite and camshaft$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 01:00